



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/569,221

02/22/2006

David E. Graham

MSH-269US

9425

8131 7590 01/08/2010
MCKELLAR IP LAW, PLLC
784 SOUTH POSEYVILLE ROAD
MIDLAND, MI 48640

EXAMINER

METZMAIER, DANIEL S

ART UNIT

PAPER NUMBER

1796

MAIL DATE

DELIVERY MODE

01/08/2010

PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

**UNITED STATES DEPARTMENT OF COMMERCE****U.S. Patent and Trademark Office**

Address : COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450

APPLICATION NO./ CONTROL NO.	FILING DATE	FIRST NAMED INVENTOR / PATENT IN REEXAMINATION	ATTORNEY DOCKET NO.
10569221	2/22/2006	GRAHAM, DAVID E.	MSH-269US

MCKELLAR IP LAW, PLLC
784 SOUTH POSEYVILLE ROAD
MIDLAND, MI 48640

EXAMINER

Daniel S.. Metzmaier

ART UNIT	PAPER
1796	20100104

DATE MAILED:

Please find below and/or attached an Office communication concerning this application or proceeding.

Commissioner for Patents

1. The reply filed on 18 September 2009 is not fully responsive to the prior Office Action because of the following omission(s) or matter(s): The claims are Non-Compliant. See attached PTOL-324 and Detailed Attachment.

See 37 CFR 1.111. Since the above-mentioned reply appears to be bona fide, applicant is given ONE (1) MONTH or THIRTY (30) DAYS from the mailing date of this notice, whichever is longer, within which to supply the omission or correction in order to avoid abandonment. EXTENSIONS OF THIS TIME PERIOD MAY BE GRANTED UNDER 37 CFR 1.136(a).

Encl.: (1) FORM PTOL-324 (Notice of non-Compliance Amendment (37 CFR 1.121)),

/Daniel S. Metzmaier/
Primary Examiner, Art Unit 1796